orm PTO	1449		Attorney Doc 791301-1010 Client Ref. N	Not A	Serial No. Not Assigned Yet				
IN	IFOR	MATION DISCLO	Applicant Dynan et al.						
		(Use several sheets	Filing Date Herewith		Group N/A	Group N/A			
			U.S. PA	TENT DOCUMEN	TS	1 1	0.1.1	Filing D	
Examiner Initials	Item	tem Document Date Number		Nan	ne 	Class	Subclass	Filing D If Approp	riate
	1	6,207,153	3/27/01	Dan et al.		424	138.1	5/22/97	
//	2	6,468,547	10/22/02	Buchsbaum et al.		424	277.1	2/7/00	
121_	3								
	4							<del> </del>	
	5					<u> </u>	L	J	
	لــــــــا		FOREIGN	PATENT DOCUM	IENTS		·	<del></del>	
		Document Number	Date	Country		Class	Subclass	Translation	
		Number						Yes	No
	6	WO 01/75110	10/11/2001	PC	T			X.	
	<del>                                     </del>			·		<u> </u>	ļ	<del> </del>	<del> </del>
	<del> </del>								<u></u>
		OTHER DOCU	MENTS (Inclu	ding Author, Title,	Date, Pertinent	Pages, et	c.)		
M		Adams, G.P., Brechbiel, I with alpha and beta emitte & Radiopharm, 15(4), 40	M.W., Chappell, er-conjugated ant 2.	L.L. et al. (2000) Ra i HER2/neu single-c	dioimmunotherap hain Fv (scFv) an	y of establi d disbody 1	ished solid tu nolecules. C		
	A2	Bilbao, G., Contreras, J.L., Curiel, D. (2002) Genetically engineered intracellular single-chain antibodies in gene therapy Mol Biotech., 22(2), 191-210.							
	A3	Cattaneo, A. and Biocca,	S. (1999) The se	lection of intracellul	ar antibodies. TIE	STECH.; 1'	/, 115-121		
	A4	Cochet, O., Kenigsberg, M., Delumeau, I. et al. (1998) Intracellular expression and functional properties of an anti-p21-Ras scFv derived from a rat hybridoma containing specific and irrelevant kappa light chains. Mol Immuno. 35(17), 109'							
		Flynn, A.A., Begent, R.H., Bhatia, J. et al. (2002) Antibody and radionuclide characteristics and the enhancement of effectiveness of radioimmunotherapy of selective dose delivery to radiosensitive area of tumour. Intl Journal of Rad 78(5), 407-415.							
A6 Izzard, R.A., Jackson, S.P., Smith, G. (1999) Competitive and Noncompetitive Inhibition of Kinase. Cancer Research. 59, 2581-2586.									
	A7	A7 Jafri, F., Hardin, J.A., Dynan, W.S. (2001) A method to detect particle-specific antibodies against Ku and the DN dependent protein kinase catalytic subunit in autoimmune sera. Journal of Immunological Methods. 251, 53-61.							
	A8	Vaganay-Juéry, S., Muller, C., Marangoni, E. et al. (2000) Decreased DNA-PK activity in human cancer cells exhibiting hypersensitivity to low-dose irradiation. British Journal of Cancer. 83(4), 514-518.							

A		Khare, P.D., Liao, S., Hirose, Y. et al. (2002) Tumor growth suppression by a retroviral vector displaying scFv antibody to CEA and carrying the iNOS gene. Anticancer Res. 22, 2443-2446.			
<u> </u>		Kurimasa, A., Kumano, S., Boubnov, N. et al. (1999) Requirement for the Kinase Activity of Human DNA-Dependent Protein Kinase Catalytic Subunit in DNA Strand Break Rejoining. Molecular and Cellular Biology. 19(5), 3877-3884.			
+	A 11	Li, S., Takeda, Y., Wragg, S. et al. (2003) Modification of the ionizing radiation response in living cells by an scFv against the DNA-dependent protein kinase. Nucleic Acids Research. 31(20), 5848-5857.			
	A12	Peng, Y., Qinming, Z., Hatsumi, N. et al. (2002) Silencing Expression of the Catalytic Subunit of DNA-dependent Protein Kinase by Small Interfering RNA Sensitizes Human Cells for Radiation-induced Chromosome Damage, Cell Killing, and Mutation. Cancer Research. 62, 6400-6404.			
		Sak, A., Stuschke, M., Wurm, R., Schroeder, G. et al. (2002) Selective Inactivation of DNA-dependent Protein Kinase with Antisense Oligodeoxynucleotides: Consequences for the Rejoining of Radiation-induced DNA Double-Strand Breaks and Radiosensitivity of Human Cancer Cell Lines. Cancer Research. 62, 6621-6624.			
1	1	Wels, W., Moritz, D., Schmidet, M. et al. (1995) Biotechnological and gene therapeutic strategies in cancer treatment. Gene. 159(1), 73-80.			
		Takata, M., Sasaki, M.S. et al. (1998) Homologous recombination and non-homologous end-joining pathways of DNA double-strand break repair have overlapping roles in the maintenance of chromosomal integrity in vertebrate cells. The EMBO Journal. 17(18), 5497-5508.			
		Yoo, S. and Dynan, W. (1999) Geometry of a complex formed by double strand break repair proteins at a single DNA end: recruitment of DNA-PKcs induces inward translocation of Ku protein. Nucleic Acids Research. 27(24), 4679-4686			
		Koike, M., Awaj, T., et al. (1999) Differential subcellular localization of DNA-dependent protein kinase components Ku and DNA-PKcs during mitosis. Journal of Cell Science. 112, 4031-4039.			
	A18	Sonoda, E., Takata, M., et al. (2001) Homologous DNA recombination in vertebrate cells. PNAS. 98(15), 8388-8394.			
	A19	Chan, D.W., Ping-Chi Chen, B. et al. (2002) Autophosphorylation of the DNA-dependent protein kinase catalytic subunits required for rejoining of DNA double-strand breaks. Genes & Development. 16, 2333-2338.			
	A20	http://biomeda.com/site/cat/V10101/specsheet.html Biomedia - V10101-DNA-Pkcs (Monoclonal Antibodies 2/17/04			
		http://www.lbl.gov/lifesciences/labs/chen_lab.html Life Sciences Division - Cell & Molecular Biology - Chen Lab 2/17/04			
	ı	Morgan, D.O. and Roth, R.A. (1988) Analysis of intracellular protein function by antibody injection. Immunology Today. 9(3), 84-88.			
	1	Carter, T., Vancurova, I., et al. (1990) A DNA-Activated Protein Kinase from HeLa Cell Nuclei. Molecular and Cellula Biology. 10(12), 6460-6471.			
	1	Gao, Y., Chaudhuri, J., et al. (1998) A Targeted DNA-PKcs-Null Mutation Reveals DNA-PK-Independent Functions for KU in V(D)J Recombination. Immunity. 9, 367-376			
		Taccioli, G., Amatucci, A., et al. (1998) Targeted Disruption of the Catalytic Subunit of the DNA-PK Gene in Mice Confers Severe Combined Immunodeficiency and Radiosensitivity. Immuity. 9, 355-366.			
	į.	Gottlieb, T. and Jackson, S.P. (1993) The DNA-dependent protein kinase: requirement for DNA ends and association with KU antigen. Cell. 72, 131-142.			
	A27	Pastink, A., Eeken, J., et al. (2001) Genomic integrity and the repair of double-strand DNA breaks. Mutation Res 37-50.			

<i>-</i>	Break Re	pair Pathways in Mammalian	) Evidence for D Cells as a Function	NA-PK-Dependent and -Independent DNA Double-Strand on of the Cell Cycle. Molecular and Cellular Biology, 17(3),
EXAMIN conformance	VER: Initial if citat	33. tion considered, whether or not ci d. Include copy of this form with	ation is in conform	nance with MPEP § 609. Draw line through citation if not in on to the applicant.
	ER'S SIGNATUR		_	DATE CONSIDERED:  1.25-06  and Trademark Office; U. S. DEPARTMENT OF COMMERCIA
		Tura -	Patent	and Trademark Office; U. S. D